

## HTS 8 Series Shoe Box

Energy Efficient LED Lighting

320-800+ Watt replacement

**\*\* Double requires Two Drivers**

### FEATURED HIGHLIGHTS





- \*Unlimited application possibilities due to retrofitting
- \*Saves up to 79% of energy consumption
- \*100,000 hour lifespan 5yr. Manufacturers registered warranty
- \*Return on Investment between 18 to 40 months.

### ENVIRONMENTAL FEATURES

- \*Contains no mercury or lead
- \*Does not produce UV rays
- \*Does not attract insects
- \*Directional light means no light pollution

### ELECTRICAL SPECIFICATIONS

- \*47 to 63 Hertz ac line power voltage from 90 VAC RMS to 277 VAC RMS
- \*Available to 480 VAC
- \*Nominal operating efficiency is 85% typical at 230 VAC and maximum load
- \*Driver provides surge protection at 305 VAC
- \*Power distributed to onboard drivers per seven LED lights



### Dimensions

Weight:

8r (ELFL) - 24 lbs.

Double 8r (ELFL) - 32 lbs.

23.7" x 23.7"

## SPECIFICATIONS

**\*\*UL and CUL rated #E326977**

**\*\*MADE IN THE U.S.A**

The HTS Series 8 Shoe Box was specifically designed for parking lot industry. Its superior heat management and compact design make it ideal, 10+ years of maintenance free service.

### OUTPUT SPECIFICATIONS

|                            |                   |
|----------------------------|-------------------|
| *High Brightness LEDs      |                   |
| *Number of Lights          | 42                |
| *Source power              | 88-98Watts        |
| *CRI                       | 70                |
| *Lumens                    | 7601-8551 at 100% |
| *Efficacy                  | 81.73 LM/W        |
| *Chromaticity: White Light | 5000K             |
| *Junction Temperature      | <60°C             |
| *IESNA Tested              | LM79 & LM80       |
| *Operating Range           | -40°C to 70°C     |
| *Nominal Lumens per watt   | 180               |

### ASSEMBLY

- \*Metal Core Board
- \*One piece aluminum heat sink dissipates heat
- \*Vibration resistant
- \*ASTM and NEMA Tested

### APPLICATIONS

- \*Parking lots
- \*Schools

